


28th and 29th September 2024, Nov 10th 2025 – work in progress for the checker that will be linked to the Ease of Care concept.

The checker will be editioned to address any need or relevance for Ease of Care on a road/road system or for Service Anywhere Anyhow experiences



Challenge (topic): LifeWise value for life and Verisafe KYC relevance to collect data for veritable and safe management of commuters, where they are of different age categories or different capabilities

Project Proposal

The main focus is to develop a value-for-life Ease of Care/Ease of Service Anywhere Anyhow closed loop to (a) guide enquiry, booking or admission, (b) collect data about the person needing Ease of Care/SAA, (c) guide and monitor value for life, (d) help regard or issue recall, (e) resolve issues of use of unwanted drugs or ones that have an adverse toxic effect or unwanted pharmacological effect on the not so well informed or incapable.

This document includes a template for the VeriSafe checker or Know Your Ease of Care / SAA Customer proposal.

The “VeriSafe KYC template”

The KYC template avoids conflicts of interest and does comply with what is called value for perspectives like

- a. Right to information
- b. Considerateness, respect and care while meeting needs
- c. Right to privacy and safety
- d. Right to choose and be heard
- e. Right to any available VeriSafe education

VeriSafe concern for Ease of Care/Service Anywhere Anyhow

The registration process should ensure the entry of information like the LifeWise Consumer name, Sex, Date of birth (if known) Age (approximate number of years), Current LifeWise Consumer Group during a first time registration or booking.

If the LifeWise Consumer has been already registered, this process permits the right concern to be acknowledged for the LifeWise consumer.

If the LifeWise Consumer expires or does not want to remain a part of the VeriSafe system, then this process permits the VeriSafe interested governance to initiate an end-of-life standard operating procedure within the system and its associated sub-systems.

LifeWise Consumer's Name (to enable Ease of Care/SAA):

Sex:

Date of birth:

Age:

Current LifeWise Consumer group: Cancer afflicted/Pregnant/Breast Feeding/Paediatric/Geriatric/Incapable of living generally/Incapable of knowledge or deserving action/Others

Current lifetime of account: Till end of life/ for a particular period

Current patient category: Out-patient/ In-patient/ Due process in progress/ Emergency patient/ LifeWise Consumer/ End-of-life-status

Current data maintenance period:

Start date:

End date:

VeriSafe Id (secure read only field):

VeriSafe status (secure read only

field):

Register

Update

End of Life

VERISAFE PROFILE

LifeWise Consumer Name:

VeriSafe Id:

Place of residence:

Region:

City:

State:

Country:

Sex:

Age:

Current LifeWise Consumer group:

Cancer afflicted/Pregnant/Breast Feeding/Paediatric/Geriatric/Others

Nationality:

Country of origin:

**[A] THIS SECTION HELPS UNDERSTAND LITERACY AND
WORK BACKGROUNDS TO IMPROVE ITS DIAGNOSTICS,
CALL CENTRE, COMMUNICATIONS AND INFORMATION**

Can the LifeWise consumer understand

information communicated in English? Yes/No/Others

Can the linked-to-Ease of Care LifeWise consumer read and write

English? Yes/No/Others

Does the LifeWise consumer need help to read and write English?
Yes/No

If English is a problem, what is the language of choice?

Does the LifeWise consumer need help such as safe and sustainable
commuting/service anywhere anyhow enabling LifeWise brown bag
inventory of drugs, medications and pharmaceutical products? Yes/No

Nature of past interests or occupation: Unemployed/Employed/Self-
employed/ Business/ Retired/Others

Does the LifeWise consumer work or study in less safe
environments? Yes/No/Not applicable

Nature of work or study environment:

Does the LifeWise consumer travel frequently? Yes/No

Last country visited:

Date visited:

Does the LifeWise consumer

suffer from any incidences during travel? Yes/No/Not
applicable/Do not know/Cannot comment

Does the LifeWise consumer rely on self-medication during these incidences? Yes/No/Not applicable/Do not know/Cannot comment

If no, Does the LifeWise consumer seek professional advice or intervention? Yes/No/Not applicable/Do not know/Cannot comment If yes, provide possible details:

If no, Does the LifeWise consumer meet a doctor on return to the country? Yes/No/Not applicable/Do not know/Cannot comment If yes, provide possible details:

**[B] THIS SECTION HELPS UNDERSTAND
LIFEWISE CONSUMER BEHAVIOUR**

Does the linked-to-Ease of Care LifeWise consumer use medications or healthcare products purely on the advice of doctors or practitioners? Always/Yes/No/Not applicable

Nature of medications or healthcare products that the linked-to-Ease of Care person consumes on advice of doctors or practitioners:

Nature of medications or healthcare products that the linked-to-Ease of Care person consumes as self-medication or as self-guided care:

System of medicine availed of most often? Allopathy/
Ayurveda/ Homoeopathy/Mix or Polytherapy/ Others

System of medicine availed of sometimes? Allopathy/
Ayurveda/ Homoeopathy/Mix or Polytherapy/ Others

System of medicine that has not worked? Allopathy/ Ayurveda/

Homoeopathy Any alternatives recommended by experts?

Does the linked-to-Ease of Care person alter medications sometimes (leading to cases of off-label usage of drugs)? Only on the advice of an expert/Self-guided/On the basis of availability/On the basis of costs/Other reasons

Benefits experienced:

OR

Issues faced:

VeriSafe brings to attention that unwanted (severe) side effects or Adverse Drug Events related to drugs mostly include some of the following:

Allergy/Arrhythmias/Bleeding/GI tract bleeding/Sudden Constipation/Convulsions/ Delirium/Electrolyte disorders/Signs of Hepatotoxicity/ Hepatic dysfunction/ Hypotension/Continued or sudden loss of appetite/Reduced urine output/Renal dysfunction/Severe acidity/Severe stomach upset or cramps/Sudden pain in the abdomen/Nausea or vomiting/Restlessness or profuse sweating/Uneasiness

**[C] THIS SECTION IDENTIFIES
INDIVIDUAL CHARACTERISTICS**

State of the linked-to-Ease of Care person's constitution? Healthy/
Occasionally unwell/Recovering/Chronic condition/ Do not know

Weight: Normal/Under-weight /Overweight/Do not
know

Blood sugar: Normal/Low/High/Under control/Do
not know

Blood pressure: Normal/Low/High/Under
control/Do not know

Does the linked-to-Ease of Care person suffer from or was the person
treated for any type of cancer (as this may affect the action of the drug
due to possible DNA/RNA mutation, inflammation levels or changes in
immune response)? Yes/No/Do not know

Does the linked-to-Ease of Care person suffer from any
other Life-changing condition: Yes/No/Do not know

VeriSafe informs that for people suffering from HIV or auto-immune
diseases, the benefit/risk ratio or drug-to-drug interactions vary and
may even cause adverse effects. It is important to know whether a
drug or medication is safe for such a person to reduce risks and
ensure better quality of outcome.

If yes, provide possible details:

Does the linked-to-Ease of Care person take drugs (that need more careful monitoring for drug interactions) such as anti- diabetes, oral anti-coagulants, anti-epileptics, Digoxin variants for heart ailments, psychotropic & tri-cyclic anti-depressants, medication for insomnia, pain killers (NSAIDs): Yes/No/Do not know

If yes, provide possible details:

Does the linked-to-Ease of Care person use medication or healthcare products regularly? Yes/No/Do not know

Is the LifeWise consumer on prescription medicines? Yes/No/Do not know

If yes, provide details:

If yes, provide details on the period for which the LifeWise consumer has been on prescription medicines:

Number of years: ____ Number of months: ____ Number of days: ____

Is the linked-to-Ease of Care person currently under treatment? Yes/No/On prescription medicines/Do not know

If yes, provide possible details:

Does the linked-to-Ease of Care person consume any Herb and Dietary Supplements (HDS)? Yes/No/Do not know

VeriSafe states that HDS intake along with certain drugs and medications can affect the outcome and also introduce new risks. It is important that a consumer or representative discuss and confirm HDS purpose, safety and suitability with a medical practitioner or pharmacist.

If yes, provide details:

:

**[D] THIS SECTION ASSESSES PARAMETERS FOR
DRUG INTERACTION**

Diet: Vegetarian/Non-vegetarian/Both/Others

Does the linked-to-Ease of Care person drink sufficient water or fluids every day (this is important for solid drug dispersion and solubility levels)? Yes/No/Do not know

Does or Does the linked-to-Ease of Care person smoke or drink alcohol? Yes/No

Does or Does the linked-to-Ease of Care person consume narcotic drugs (due to medical condition or other preferences)? Yes/No/Do not know

Does the linked-to-Ease of Care person suffer from any food allergies? Yes/No/Do not know

Does the linked-to-Ease of Care person suffer from any drug or medicine related allergies? Yes/No/Do not know

Does the linked-to-Ease of Care person suffer from pollen, smoke or dust allergies? Yes/No/Do not know

Does the linked-to-Ease of Care person or representative know about any vulnerability or susceptibility to certain diseases? Yes/No/ Do not know

Does the linked-to-Ease of Care person need more information about this?

Which method of antibiotic drug administration has worked for the linked-to-Ease of Care person mostly? Oral/Sublingual (below the tongue)/Subcutaneous (SC)/Intra Muscular (IM)/Intra Venous (IV)/Topical/Rectal/Not applicable/Do not know

Has the linked-to-Ease of Care person suffered any Adverse Drug Events? Yes/No/Not applicable/Do not know If yes, provide possible details:

Has the linked-to-Ease of Care person been treated for drug overdose? Yes/No/Not applicable/Do not know If yes, provide possible details:

[E]THIS SECTION IDENTIFIES DETAILS OF CHRONIC DISEASE OR MAJOR / RECENT INCIDENTS

Does the linked-to-Ease of Care person know about the nature of the problem? Yes/No/Not applicable/Do not know

Is clinical diagnosis available? Yes/No/Not applicable
Nature of the problem:

Care availed for problem: Not under treatment/Under treatment/Was treated but there is a reoccurrence/Was treated but cannot revisit that doctor or practitioner/ Process under review

Issues faced? Do not have medical records/Do not know enough/No expert opinion available/Suffered contra-indications/Medications costly/Medications not available/Fewer alternate medicines

System of medicine availed of specifically for problem?
Allopathy/Ayurveda/Homoeopathy/ Mix or Polytherapy/ Others

**[F]THIS SECTION IDENTIFIES RISK FACTORS FOR
VERISAFE**

Can the linked-to-Ease of Care person understand or read prescriptions or statutory healthcare information?

Always/Yes/No/ Not applicable

Can the linked-to-Ease of Care person understand associated statutory information or warnings to help doctors or practitioners when suffering from contra-indications? Always/Yes/No/Not applicable

Does the linked-to-Ease of Care person understand or rely on the “safe and recommended for continued product quality” storage location for medications? Yes/No/Do not know

Does the linked-to-Ease of Care person have safe dispensing mechanisms and/or periodic brown bag inventory to take medications according to priority, dosage, timing or frequency? T

he mechanism should help even if the consumer suffers from cognitive dysfunction, or failing eyesight or other (label or text associated) reading problems. Yes/No/Do not know

Does the linked-to-Ease of Care person know how to dispose of the antibiotics/drugs that are unwanted or have expired in a manner that is safe to everyone? Yes/No/Do not know

If relevant, is there a take back programme for unwanted or expired drugs by your pharmacist or area associated community centre? Yes/No/Do not know

Is the linked-to-Ease of Care person under any trial for medications or healthcare products or plan of care? Yes/No/Do not know

If yes, provide possible details:

Does the linked-to-Ease of Care person have a family physician or consulting doctor? Yes/No/Not applicable

Can the linked-to-Ease of Care person discuss conditions or responses regularly with experts? Yes/No/ Not applicable

Can the linked-to-Ease of Care person discuss condition or responses with other peer groups of people suffering from the same diseases or illness? Yes/No/Not applicable

Does the linked-to-Ease of Care person rely on any source of information or marketing function to know more about the drugs and products available for your condition (so you become a more aware consumer)? Yes/No/Not applicable

Options available or improvements needed?

Step 3: Develop a **VeriSafe diagnostic system** that helps collect data on antibiotic consumption, results, incidences or failures with references to the nature of influences on the complete socio-economical model. Incorporate diagnostics for drug repurposing.

VERISAFE DIAGNOSTIC SYSTEM FOR CONSUMPTION

LifeWise Consumer Name:

VeriSafe Id:

Sex:

Age:

Current LifeWise Consumer group: Pregnant/Breast

Feeding/Paediatric/Geriatric/Others Current Weight: Normal/Under-weight /Overweight/Do not know

Current Blood sugar: Normal/Low/High/Under control/Do not know

Current Blood pressure: Normal/Low/High/Under control/Do not know

Current health condition: Unwell/Occasionally unwell/Under-treatment/ On other prescription medicines/Do not know

Nature of ailment (if details known):

Name of antiviral, antibiotic or antibiotics currently being prescribed (details can be obtained from the prescription or hospital records):

If on other ailment related medication, provide

possible details:

If on other prescription medicines, provide possible

details:

If yes, provide details on the period for which the linked-to-Ease of Care person has been on prescription medicines:
Number of years: ____ Number of months: ____ Number of days: ____

Is there any dose staggering or ensuring of a gap of 1-2 hours between current antibiotics and other medications? Yes/No/Do not know/Not applicable

Does linked-to-Ease of Care person take a homoeopathic medicine called St John's Wort? Yes/No/Do not know/ Not applicable.

If yes, VeriSafe informs that this can cause adverse effects in multi-therapy treatment or more particularly in treatment for cardio-vascular ailments.

Does the linked-to-Ease of Care person take products containing Psyllium? Yes/No/Do not know/ Not applicable.

If yes, VeriSafe informs that this can alter the performance of particular drugs and antibiotics.

Fixed Dose Combinations

For LifeWise consumers, it is important to know that

Fixed Dose Combinations or FDCs are a combination of 2 or more active drugs in a dosage form

OR

Fixed Dose Combinations or FDCs are a combination of a drug, or a device or a biological product.

Purpose of FDCs

FDCs are used for multi-targeting in treating infections.

Guidelines for FDCs

The World Health Organization (WHO) has released 18 FDCs that are part of the Essential Medicines list and recommends that these be prescribed to prevent rising incidences of antibiotic misuse or drug resistance.

If on FDCs, it is important to know that this could lead to drug resistance setting in

Has the linked-to-Ease of Care person been prescribed Fixed Dose Combinations (FDCs) of medicines to supplement an anti-biotic or to more effectively treat your health condition (like vitamins, iron supplements, antacids, analgesics, anti-diarrhoeal, cough suppressants)?

Yes/No/Do not know/Not

applicable

If yes, provide possible

details:

Herb and Dietary Supplements (HDS)

Does the linked-to-Ease of Care person consume any Herb and Dietary Supplements (HDS)? Yes/No/Do not know

VeriSafe states that HDS intake along with certain drugs and medications can affect the outcome and also introduce new risks. It is important that a consumer or representative discuss and confirm HDS purpose, safety and suitability with a medical practitioner or pharmacist.

If yes, provide details:

Does the linked-to-Ease of Care person suffer from or was the person treated for any type of cancer (as this may affect the action of the drug due to possible DNA/RNA mutation, inflammation levels or changes in immune response)? Yes/No/Do not know

Has the linked-to-Ease of Care person undergone any gastro-intestinal surgery (that has reduced motility or effective functioning)? Yes/No/Do not know

If yes, provide possible details:

Has linked-to-Ease of Care person undergone any surgery related to the liver (that has reduced biliary function)? Yes/No/Do not know

If yes, provide possible details:

Has the linked-to-Ease of Care person undergone any renal surgery (that has reduced well-being or renal functions)? Yes/No/Do not know

If yes, provide possible details:

Has the linked-to-Ease of Care person undergone any heart surgery or cardio-vascular function based surgical procedure? Yes/No/Do not know

If yes, provide possible details:

Does the linked-to-Ease of Care person suffer from any other Life-changing condition: Yes/No/Do not know If yes, provide possible details:

Does the linked-to-Ease of Care person take drugs (that need more careful monitoring for drug interactions) such as auto-immune modifiers or stabilizers, anti-diabetes, oral anti-coagulants, anti-epileptics, Digoxin variants for heart ailments, psychotropic & tri-cyclic anti-depressants, pain killers (NSAIDs)/medication for insomnia: Yes/No/Do not know

If yes, provide possible details:

Is the linked-to-Ease of Care person under any trial for medications or healthcare products or plan of care? Yes/No/Do not know

If yes, provide possible details:

Step 4: Generate VeriSafe reports, bulletins and notifications that can be used for drug utilization and/or repurposing analytics by drug manufacturing companies

The “**VeriSafe reporting framework**” for **linked-to-Ease of Care persons**

The work in progress framework will include different types of reports, bulletins and notifications.

A. VeriSafe Checker and All-clear

The VeriSafe checker (that will be available at any old age home or rehab centre or other life valuing healthcare provider) will need to confirm rational diagnostics, purpose & suitability to get the linked-to-Ease of Care person admitted).

If this is not agreeable, then the linked-to-Ease of Care person will need to be helped to prevent any harm from happening to the person.

The VeriSafe checker (that will be available at a PharmaCare.Portal) will confirm rational use of antibiotics (that is their purpose & suitability) . The VeriSafe checker will help control morbidity & mortality, prevent or reduce harm to consumer, limits cases leading to drug resistance and regulates or limits socio-economic impact due to medication errors.

Rational use of an antibiotic confirms the following:

- 1.Appropriate patient information
- 2.Appropriate patient evaluation
- 3.Appropriate disease & purpose indication
- 4.Appropriate patient (Consumer group and individual characteristics)
- 5.Appropriate drug on the basis of Appropriate Costs
- 6.Appropriate VeriSafe acknowledgments of purpose and suitability

On confirming rational (veritable and safe) use, the LifeWise Consumer or representative is sent a VeriSafe all clear as an SMS on a registered mobile or as an email to a registered email account.

If the consumer is to start or continue long term medication, the LifeWise Consumer or representative will be able to register for VeriSafe bulletins and notifications. AOEC proposes a new foundation called the More To Care network to help patients/consumers design a bridge for Healthcare today and Healthcare NEXT